



# SYNCO CHEMICAL CORPORATION

## PRODUCT LIST



Part #	Item Description	Pack Size	UPC Number	Approx. Case Weight	CASE DIMENSIONS IN INCHES/VOLUME IN CUBIC FEET			
					Length	Width	Height	Volume

### SYNTHETIC GREASES

#### Synthetic Greases - Food Grade - NSF Rated H1

##### Super Lube® Multi-Purpose Synthetic Grease (NLGI 2) with Syncolon® (PTFE)

82340	1 cc. Packet	5000	0 82353-82340 6	19 Lb.	14	14	8	0.91
21006	6 cc. Syringe	12	0 82353-21006 0	1 Lb.	5.75	2.5	7.25	0.06
21010	1/2 oz. Tube Blistered	12	0 82353-21010 7	1 Lb.	9	4.5	4.5	0.11
21014	1/2 oz. Tube Bulk	400	0 82353-21014 5	14 Lb.	13	10	9	0.68
21020	1 oz. Bellow - Blistered	6	0 82353-21020 6	.60 Lb.	4.25	4	9	0.09
21030	3 oz. Tube	12	0 82353-21030 5	3 Lb.	5.94	4.94	7.5	0.13
21036	3 oz. Cartridge	12	0 82353-21036 7	3 Lb.	5.94	4.94	7.5	0.13
41150	14.1 oz. (400 gram) Cartridge	12	0 82353-41150 4	13 Lb.	9.5	8	10.5	0.46
41160	14.1 oz. (400 gram) Canister	12	0 82353-41160 3	13 Lb.	8.5	8	8	0.31
41580	450 ml. Bellows Cartridge	12	0 82353 41580 9	13 Lb.	7.25	9.25	11.25	0.44
41050	5 lb. Pail	4	0 82353-41050 7	26 Lb.	17	17	8.5	1.42
41030	30 lb. Pail	1	0 82353-41030 9	34 Lb.		12	14	0.92
41120	120 lb. Keg	1	0 82353-41120 7	131 Lb.		14.5	27	2.58
41140	400 lb. Drum	1	0 82353-41140 5	435 Lb.		24	35	9.16

##### Super Lube® Multi-Purpose Synthetic Grease (NLGI 1) with Syncolon® (PTFE)

41150/1	14.1 oz. (400 gram) Cartridge	12	0 82353-41151 1	13 Lb.	9.5	8	10.5	0.46
41160/1	14.1 oz. (400 gram) Canister	12	0 82353-41161 0	13 Lb.	8.5	8	8	0.31
41580/1	450 ml. Bellows Cartridge	12	0 82353 41581 6	12 Lb.	7.25	9.25	11.25	0.44
41050/1	5 lb. Pail	4	0 82353-41051 4	26 Lb.	17	17	8.5	1.42
41030/1	30 lb. Pail	1	0 82353-41031 6	34 Lb.		12	14	0.92
41120/1	120 lb. Keg	1	0 82353-41121 4	131 Lb.		14.5	27	2.58
41140/1	400 lb. Drum	1	0 82353-41141 2	435 Lb.		24	35	9.16

##### Super Lube® Multi-Purpose Synthetic Grease (NLGI 0) with Syncolon® (PTFE)

41150/0	14.1 oz. (400 gram) Cartridge	12	0 82353-41972 2	13 Lb.	9.5	8	10.5	0.46
41160/0	14.1 oz. (400 gram) Canister	12	0 82353-41963 0	13 Lb.	8.5	8	8	0.31
41580/0	450 ml. Bellows Cartridge	12	0 82353-41589 2	12 Lb.	7.25	9.25	11.25	0.44
41050/0	5 lb. Pail	4	0 82353-41984 5	26 Lb.	17	17	8.5	1.42
41030/0	30 lb. Pail	1	0 82353-41999 9	34 Lb.		12	14	0.92
41120/0	120 lb. Keg	1	0 82353-41979 1	131 Lb.		14.5	27	2.58
41140/0	400 lb. Drum	1	0 82353-41978 4	435 Lb.		24	35	9.16

##### Super Lube® Multi-Purpose Synthetic Grease (NLGI 00) with Syncolon® (PTFE)

82340/00	1 cc. Packet	5000	0 82353-82999 6	19 Lb.	14	14	8	0.91
41150/00	14.1 oz. (400 gram) Cartridge	12	0 82353-41971 5	13 Lb.	9.5	8	10.5	0.46
41160/00	14.1 oz. (400 gram) Canister	12	0 82353-41962 3	13 Lb.	8.5	8	8	0.31
41050/00	5 lb. Pail	4	0 82353-41983 8	26 Lb.	17	17	8.5	1.42
41030/00	30 lb. Pail	1	0 82353-41998 2	34 Lb.		12	14	0.92
41120/00	120 lb. Keg	1	0 82353-41980 7	131 Lb.		14.5	27	2.58
41140/00	400 lb. Drum	1	0 82353-41977 7	435 Lb.		24	35	9.16



# SYNCO CHEMICAL CORPORATION

## PRODUCT LIST



Part #	Item Description	Pack Size	UPC Number	Approx. Case Weight	CASE DIMENSIONS IN INCHES/VOLUME IN CUBIC FEET			
					Length	Width	Height	Volume

### Super Lube® Multi-Purpose Synthetic Grease (NLGI 000) with Syncolon® (PTFE)

41150/000	14.1 oz. (400 gram) Cartridge	12	0 82353-41959 3	13 Lb.	9.5	8	10.5	0.46
41160/000	14.1 oz. (400 gram) Canister	12	0 82353-41960 9	13 Lb.	8.5	8	8	0.31
41050/000	5 lb. Pail	4	0 82353-41982 1	26 Lb.	17	17	8.5	1.42
41030/000	30 lb. Pail	1	0 82353-41996 8	34 Lb.		12	14	0.92
41120/000	120 lb. Keg	1	0 82353-41820 6	131 Lb.		14.5	27	2.58
41141/000	400 lb Drum	1	0 82353-41975 3	435 Lb.		24	35	9.16

### Super Lube® Multi-Purpose Synthetic UV Grease (NLGI 2) with Syncolon® (PTFE)

41150/UV	14.1 oz. (400 gram) Cartridge	12	0 82353-41970 8	13 Lb.	9.5	8	10.5	0.46
41160/UV	14.1 oz. (400 gram) Canister	12	0 82353-41968 5	13 Lb.	8.5	8	8	0.31
41050/UV	5 lb. Pail	4	0 82353-41981 4	26 Lb.	17	17	8.5	1.42
41030/UV	30 lb. Pail	1	0 82353-41991 3	34 Lb.		12	14	0.92

### Super Lube® High Temperature E.P. Grease (NLGI 2) with Syncolon® (PTFE)

70006	6 cc. Syringe	12	0 82353-70006 6	1 Lb.	5.75	2.5	7.25	0.06
71150	14.1 oz. (400 gram) Cartridge	12	0 82353-71150 5	13 Lb.	9.5	8	10.5	0.46
71160	14.1 oz. (400 gram) Canister	12	0 82353-71160 4	13 Lb.	8.5	8	8	0.31
70050	5 lb. Pail	4	0 82353-70050 9	26 Lb.	17	17	8.5	1.42
70300	30 lb. Pail	1	0 82353-70300 5	34 Lb.		12	14	0.92
70120	120 lb. Keg	1	0 82353-70120 9	131 Lb.		14.5	27	2.58
70400	400 lb. Drum	1	0 82353-70400 2	435 Lb.		24	35	9.16

### Super Lube® Silicone Dielectric Grease

91003	3 oz. Tube	12	0 82353-91003 8	3 Lb.	5.94	4.94	7.5	0.13
91015	14.1 oz. (400 gram) Cartridge	12	0 82353-91015 1	13 Lb.	9.5	8	10.5	0.46
91016	14.1 oz. (400 gram) Canister	12	0 82353-91016 8	13 Lb.	8.5	8	8	0.31
91005	5 lb. Pail	4	0 82353-91005 2	26 Lb.	17	17	8.5	1.42
91030	30 lb. Pail	1	0 82353-91030 4	34 Lb.		12	14	0.92
91120	120 lb. Keg	1	0 82353-91120 2	131 Lb.		14.5	27	2.58
91400	400 lb. Drum	1	0 82353-91400 5	435 Lb.		24	35	9.16

### Super Lube® Silicone Dielectric UV Grease

91015/UV	14.1 oz. (400 gram) Cartridge	12	0 82353-91815 7	13 Lb.	9.5	8	10.5	0.46
91016/UV	14.1 oz. (400 gram) Canister	12	0 82353-91816 4	13 Lb.	8.5	8	8	0.31
91005/UV	5 lb. Pail	4	0 82353-91805 8	26 Lb.	17	17	8.5	1.42
91030/UV	30 lb. Pail	1	0 82353-91830 0	34 Lb.		12	14	0.92

### Super Lube® Silicone Lubricating Grease with Syncolon® (PTFE)

92000	1 cc. Packet	4000	0 82353-92000 6	16 Lb.	14	14	8	0.91
92003	3 oz. Tube	12	0 82353-92003 7	3 Lb.	5.94	4.94	7.5	0.13
92150	14.1 oz. (400 gram) Cartridge	12	0 82353-92150 8	13 Lb.	9.5	8	10.5	0.46
92016	14.1 oz. (400 gram) Canister	12	0 82353-92016 7	13 Lb.	8.5	8	8	0.31
92005	5 lb. Pail	4	0 82353-92005 1	26 Lb.	17	17	8.5	1.42
92030	30 lb. Pail	1	0 82353-92030 3	34 Lb.		12	14	0.92
92120	120 lb. Keg	1	0 82353-92120 1	131 Lb.		14.5	27	2.58
92400	400 lb. Drum	1	0 82353-92400 4	435 Lb.		24	35	9.16



**SYNCO CHEMICAL CORPORATION**  
**PRODUCT LIST**



Part #	Item Description	Pack Size	UPC Number	Approx. Case Weight	CASE DIMENSIONS IN INCHES/VOLUME IN CUBIC FEET			
					Length	Width	Height	Volume

**Super Lube® Silicone Lubricating Brake Grease with Synconol® (PTFE)**

97008	8 oz. Tube	12	0 82353-97008 7	8 Lb.	9.5	8	10	0.44
-------	------------	----	-----------------	-------	-----	---	----	------

**Super Lube® Railroad Grease with Synconol® (PTFE)**

41035	35 lb. Pail	1	0 82353 41035 4	39 Lb.		12	15	0.98
41040	40# Pail	1	0 82353 41040 8	44 Lb.		12	18	1.18
41400	400# Drum	1	0 82353 41400 0	432 Lb.		24	35	9.16

**Super Lube® O-Ring Silicone Grease**

93003	3 oz. Tube	12	0 82353-93003 6	3 Lb.	5.94	4.94	7.5	0.13
93016	14.1 oz. (400 gram) Canister	12	0 82353-93016 6	13 Lb.	8.5	8	8	0.31

**Super Lube® Food Grade Anti-Seize Lubricant with Synconol® (PTFE)**

48008	8 oz. Brush Bottle	6	0 82353-48008 1	4.5 Lb.	8	7	7	0.23
48160	14.1 oz. (400 gram) Canister	12	0 82353-48160 6	13 Lb.	8.5	8	8	0.31

**Synthetic Greases**

**Super Lube® Nuclear Grade Approved Grease**

42150	14.1 oz. (400 gram) Cartridge	12	0 82353-42150 3	13 Lb.	9.5	8	10.5	0.46
42130	30 lb. Pail	1	0 82353-42130 5	34 Lb.		12	14	0.92
42140	400 lb. Drum	1	0 82353-42140 4	435 Lb.		24	35	9.16

**SYNTHETIC OILS**

**Synthetic Oils - Food Grade - NSF Rated H1**

**Super Lube® Multi-Purpose Synthetic Oil with Synconol® (PTFE) (ISO 100-150)**

51010	7 ml. Precision Oiler (Blistered)	12	0 82353-51010 8	1 Lb.	9	4.5	4.5	0.11
51014	7 ml. Precision Oiler (Bulk)	400	0 82353-51014 6	12 Lb.	13	10.5	9	0.71
51004	4 oz. Bottle	6	0 82353-51004 7	2 Lb.	5.5	4	7.25	0.09
51008	8 oz. Bottle	12	0 82353-51008 5	7 Lb.	7	9	8	0.29
51025	1 Pint Bottle	12	0 82353-51025 2	13 Lb.	11.5	8.5	8.25	0.27
51030	1 Quart Bottle	12	0 82353-51030 6	26 Lb.	14	10	9	0.73
51040	1 Gallon Bottle	4	0 82353-51040 5	32 Lb.	9.5	14.5	10.75	0.86
51050	5 Gallon Pail	1	0 82353-51050 4	40 Lb.		12	15	0.98
51150	15 Gallon Keg	1	0 82353 51150 1	121 Lb.		14	25	2.23
51550	55 Gallon Drum	1	0 82353-51550 9	431 Lb.		24	35	9.16

**Super Lube® Multi-Purpose Synthetic UV Oil with Synconol® (PTFE) (ISO 100-150)**

51014/UV	7 ml. Precision Oiler (Bulk)	400	0 82353-51714 5	12 Lb.	9	4.5	4.5	0.11
51004/UV	4 oz. Bottle	6	0 82353-51704 6	2 Lb.	5.5	4	7.25	0.09
51030/UV	1 Quart Bottle	12	0 82353-51730 5	25 Lb.	14	10	9	0.73
51040/UV	1 Gallon Bottle	4	0 82353-51740 4	32 Lb.	9.5	14.5	10.75	0.86
51050/UV	5 Gallon Pail	1	0 82353-51750 3	40 Lb.		12	15	0.98



# SYNCO CHEMICAL CORPORATION

## PRODUCT LIST



Part #	Item Description	Pack Size	UPC Number	Approx. Case Weight	CASE DIMENSIONS IN INCHES/VOLUME IN CUBIC FEET			
					Length	Width	Height	Volume

### Super Lube® Synthetic Lightweight Oil (ISO 68)

52004	4 oz. Bottle	6	0 82353-52004 6	2 Lb.	5.5	4	7.25	0.09
52008	8 oz. Bottle	12	0 82353-52008 4	7 Lb.	7	9	8	0.29
52020	1 Pint Bottle	12	0 82353-52020 6	13 Lb.	11.5	8.5	8.25	0.47
52030	1 Quart Bottle	12	0 82353-52030 5	25 Lb.	14	10	9	0.73
52040	1 Gallon Bottle	4	0 82353-52040 4	31 Lb.	9.5	14.5	10.75	0.86
52050	5 Gallon Pail	1	0 82353-52050 3	39 Lb.		12	15	0.98
52150	15 Gallon Keg	1	0 82353-52150 0	120 Lb.		14	25	2.23
52550	55 Gallon Drum	1	0 82353-52550 8	421 Lb.		24	35	9.16

### Super Lube® Synthetic Extra Lightweight Oil (ISO 32)

53004	4 oz. Bottle	6	0 82353-53004 5	2 Lb.	5.5	4	7.25	0.07
53008	8 oz. Bottle	12	0 82353-53008 3	7 Lb.	7	9	8	0.29
53020	1 Pint Bottle	12	0 82353-53020 5	13 Lb.	11.5	8.5	8.25	0.27
53030	1 Quart Bottle	12	0 82353-53030 4	25 Lb.	14	10	11.5	0.52
53040	1 Gallon Bottle	4	0 82353-53040 3	31 Lb.	9.5	14.5	10.75	1.03
53050	5 Gallon Pail	1	0 82353-53050 2	39 Lb.		12	15	0.98
53150	15 Gallon Keg	1	0 82353-53150 9	117 Lb.		14	25	2.23
53550	55 Gallon Drum	1	0 82353-53550 7	421 Lb.		24	35	9.16

### Super Lube® Silicone Oil 100 cSt

56104	4 oz. Bottle	6	0 82353-56104 9	2 Lb.	5.5	4	7.25	0.09
56101	1 Gallon Bottle	4	0 82353-56101 8	35 Lb.	9.5	14.5	10.75	0.86
56105	5 Gallon Pail	1	0 82353-56105 6	45 Lb.		12	15	0.98
56155	55 Gallon Drum	1	0 82353-56155 1	431 Lb.		24	35	9.16

### Super Lube® Silicone Oil 5000 cSt

56504	4 oz. Bottle	6	0 82353-56504 7	2 Lb.	5.5	4	7.25	0.09
56501	1 Gallon Bottle	4	0 82353-56501 6	35 Lb.	9.5	14.5	10.75	0.86
56505	5 Gallon Pail	1	0 82353-56505 4	45 Lb.		12	15	0.98
56555	55 Gallon Drum	1	0 82353-56555 9	431 Lb.		24	35	9.16

### Super Lube® Synthetic Gear Oil ISO 150

54100	1 Quart Bottle	12	0 82353-54100 3	24 Lb.	13.5	10.25	9	0.72
54101	1 Gallon Bottle	4	0 82353-54101 0	32 Lb.	9.5	14.5	10.75	0.86
54105	5 Gallon Pail	1	0 82353-54105 8	40 Lb.		12	15	0.98
54155	55 Gallon Drum	1	0 82353-54155 3	434 Lb.		24	35	9.16

### Super Lube® Synthetic Gear Oil ISO 220

54200	1 Quart Bottle	12	0 82353-54200 0	24 Lb.	13.5	10.25	9	0.72
54201	1 Gallon Bottle	4	0 82353-54201 7	32 Lb.	9.5	14.5	10.75	0.86
54205	5 Gallon Pail	1	0 82353-54205 5	40 Lb.		12	15	0.98
54255	55 Gallon Drum	1	0 82353-54255 0	434 Lb.		24	35	9.16



**SYNCO CHEMICAL CORPORATION**  
**PRODUCT LIST**



Part #	Item Description	Pack Size	UPC Number	Approx. Case Weight	CASE DIMENSIONS IN INCHES/VOLUME IN CUBIC FEET			
					Length	Width	Height	Volume

**Super Lube® Synthetic Gear Oil ISO 320**

54300	1 Quart Bottle	12	0 82353-54300 7	24 Lb.	13.5	10.25	9	0.72
54301	1 Gallon Bottle	4	0 82353-54301 4	32 Lb.	9.5	14.5	10.75	0.86
54305	5 Gallon Pail	1	0 82353-54305 2	40 Lb.		12	15	0.98
54355	55 Gallon Drum	1	0 82353-54355 7	434 Lb.		24	35	9.16

**Super Lube® Synthetic Gear Oil ISO 460**

54432	1 Quart Bottle	12	0 82353-54432 5	24 Lb.	13.5	10.25	9	0.72
54401	1 Gallon Bottle	4	0 82353-54401 1	32 Lb.	9.5	14.5	10.75	0.86
54405	5 Gallon Pail	1	0 82353-54405 9	40 Lb.		12	15	0.98
54455	55 Gallon Drum	1	0 82353-54455 4	434 Lb.		24	35	9.16

**Super Lube® Synthetic Gear Oil ISO 680**

54632	1 Quart Bottle	12	0 82353-54632 9	24 Lb.	13.5	10.25	9	0.72
54601	1 Gallon Bottle	4	0 82353-54601 5	32 Lb.	12	12	13	1.08
54605	5 Gallon Pail	1	0 82353-54605 3	40 Lb.		12	15	0.98
54655	55 Gallon Drum	1	0 82353-54655 8	434 Lb.		24	35	9.16

**Super Lube® Air Tool Pneumatic Lubricant**

12004	4 oz. Bottle	6	0 82353-12004 8	2 Lb.	5.5	4	7.25	0.09
12016	1 Pint Bottle	12	0 82353-12016 1	13 Lb.	11.5	8.5	8.25	0.47
12032	1 Quart Bottle	12	0 82353-12032 1	24 Lb.	13	11	10.5	0.87
12040	1 Gallon Bottle	4	0 82353-12040 6	31 Lb.	9.5	14.5	10.75	0.86
12050	5 Gallon Pail	1	0 82353-12050 5	39 Lb.		12	15	0.98
12155	55 Gallon Drum	1	0 82353-12155 7	421 Lb.		24	35	9.16

**Super Lube® Low Temperature Synthetic Oil (< -50°F)**

74050	5 Gallon Pail	1	0 82353-74050 5	38 Lb.		12	15	0.98
74055	55 Gallon Drum	1	0 82353-74055 0	432 Lb.		24	35	9.16

**Super Lube® O-Ring Silicone Lubricant**

56204	4 oz Bottle	6	0 82353-56204 6	2 Lb.	5.5	4	7.25	0.09
-------	-------------	---	-----------------	-------	-----	---	------	------

**Synthetic Oils - Food Grade - NSF Rated H3**

**Super Lube® H3 Lightweight Oil**

60004	4 oz. Bottle	6	0 82353-60004 5	2 Lb.	5.5	4	7.25	0.09
60016	16 oz. Bottle	12	0 82353-60016 8	13 Lb.	12	8.5	8	0.47
60032	1 Quart Bottle	12	0 82353-60032 8	26 Lb.	14	10	9	0.73
60040	1 Gallon Bottle	4	0 82353-60040 3	32 Lb.	9.5	14.5	10.75	0.86
60050	5 Gallon Pail	1	0 82353-60050 2	40 Lb.		12	15	0.98
60550	55 Gallon Drum	1	0 82353-60550 7	431 Lb.		24	35	9.16



# SYNCO CHEMICAL CORPORATION

## PRODUCT LIST



Part #	Item Description	Pack Size	UPC Number	Approx. Case Weight	CASE DIMENSIONS IN INCHES/VOLUME IN CUBIC FEET			
					Length	Width	Height	Volume

### Synthetic Oils

#### Super Lube® Railroad Switch Plate Lubricant with Syncolon® (PTFE)

58010	1 Gallon Bottle	4	0 82353-58010 1	32 Lb.	12	12	13	0.85
58050	5 Gallon Pail	1	0 82353-58050 7	38 Lb.		12	15	0.98
58055	55 Gallon Drum	1	0 82353-58055 2	432 Lb.		24	35	9.16

#### Super Lube® High Viscosity Railroad Switch Plate Oil

57010	1 Gallon Bottle	4	0 82353-57010 2	40 Lb.	12	12	13	0.85
57050	5 Gallon Pail	1	0 82353-57050 8	45.5 Lb.		12	15	0.98
57055	55 Gallon Drum	1	0 82353-57055 3	496 Lb.		23	35	8.41

#### Super Lube® Engine Treatment with Syncolon® (PTFE)

20040	4 oz. Booster	6	0 82353-20040 5	2 Lb.	5.5	4	7.25	0.09
20320	1 Quart Bottle	12	0 82353-20320 8	25 Lb.	13.5	10.25	9	0.72

### AEROSOLS/NON-AEROSOL SPRAYS

#### Aerosols - Food Grade - NSF Rated H1

##### Super Lube® Aerosols

31040	6 oz. Multi-Purpose with Syncolon® (PTFE)	12	0 82353-31040 1	7 Lb.	6.75	9	7.25	0.25
31110	11 oz. Multi-Purpose with Syncolon® (PTFE)	12	0 82353-31110 1	12 Lb.	12	9	8	0.50
11006	5.25 oz. Dri-Film with Syncolon® (PTFE)	12	0 82353-11006 3	7 Lb.	9	7	8	0.29
11016	11 oz. Dri-Film with Syncolon® (PTFE)	12	0 82353-11016 2	12 Lb.	12	9	8	0.50
83110	11 oz. Metal Protectant/Corrosion Inhibitor	12	0 82353-83110 4	12 Lb.	12	9	8	0.50
85011	11 oz. Syncopen® Penetrant	12	0 82353-85011 2	12 Lb.	12	9	8	0.50
91110	11 oz. Silicone	12	0 82353-91110 3	12 Lb.	12	9	8	0.50

#### Non-Aerosol Sprays - Food Grade - NSF Rated H1

##### Super Lube® Multi-Purpose Synthetic Oil with Syncolon® (PTFE)

51600	1 Quart Trigger Sprayer	12	0 82353-51600 1	26 Lb.	13.5	10.25	10.75	0.86
-------	-------------------------	----	-----------------	--------	------	-------	-------	------

##### Super Lube® Syncopen® Synthetic Penetrant

85032	1 Quart Trigger Sprayer	12	0 82353-85032 7	24 Lb.	13.5	10.25	10.75	0.86
-------	-------------------------	----	-----------------	--------	------	-------	-------	------

##### Super Lube® Metal Protectant and Corrosion Inhibitor

83032	1 Quart Trigger Sprayer	12	0 82353-83032 9	24 Lb.	13.5	10.25	10.75	0.86
-------	-------------------------	----	-----------------	--------	------	-------	-------	------

### PENETRANTS

##### Super Lube® Syncopen® Synthetic Penetrant

85004	4 oz. Mist Spray Bottle	6	0 82353-85004 4	2 Lb.	5.5	4	7.25	0.07
85010	1 Gallon Bottle	4	0 82353-85010 5	31 Lb.	9.5	14.5	10.75	0.86
85050	5 Gallon Pail	1	0 82353-85050 1	38 Lb.		12	15	0.98
85055	55 Gallon Drum	1	0 82353-85055 6	412 Lb.		24	35	9.16



**SYNCO CHEMICAL CORPORATION**  
**PRODUCT LIST**



Part #	Item Description	Pack Size	UPC Number	Approx. Case Weight	CASE DIMENSIONS IN INCHES/VOLUME IN CUBIC FEET			
					Length	Width	Height	Volume

**SPECIALTY PRODUCTS**

**Specialty Products - Food Grade - NSF Rated H1**

**Super Lube® Metal Protectant and Corrosion Inhibitor**

83050	5 Gallon Pail	1	0 82353-83050 3	38 Lb.		12	15	0.98
-------	---------------	---	-----------------	--------	--	----	----	------

**Super Lube® Open Gear and Wire Rope Lubricant**

65150	15 Gallon Keg	1	0 82353-65150 4	126 Lb.		14.5	27	2.58
65550	55 Gallon Drum	1	0 82353-65550 2	431 Lb.		23	36	8.65

**Specialty Products**

**Super Lube® Silicone Heat Sink Compound**

98003	3 oz. Tube	12	0 82353-98003 1	3 Lb.	5.94	4.94	7.5	0.13
98050	5 lb. Pail	4	0 82353-98050 5	26 Lb.	17	17	8.5	1.42
98030	30 lb. Pail	1	0 82353-98030 7	34 Lb.		12	14	0.92

**Super Lube® Anti-Corrosion & Connector Gel**

82003	3 oz. Tube	12	0 82353-82003 0	3 Lb.	5.94	4.94	7.5	0.13
82016	14.1 oz. (400 gram) Canister	12	0 82353-82016 0	13 Lb.	8.5	8	8	0.31
82030	30 lb. Pail	1	0 82353-82030 6	33 Lb.		12	14	0.92
82120	120 lb. Keg	1	0 82353-82120 4	131 Lb.		14.5	27	2.58

**Super Lube® Fire Resistant Hydraulic Fluid**

86010	1 Gallon Bottle	4	0 82353-86010 4	32 Lb.	9.5	14.5	10.75	0.86
86050	5 Gallon Pail	1	0 82353-86050 0	47 Lb.		12	15	0.98
86055	55 Gallon Drum	1	0 82353-86055 5	450 Lb.		24	35	9.16

**Super Lube® SuperPull Electrical / Fiber Optic Pulling Compound**

80320	1 Quart Bottle	12	0 82353-80320 0	28 Lb.	13	11	10.5	0.87
80010	1 Gallon Bottle	4	0 82353-80010 0	36 Lb.	9.5	14.5	10.75	0.86
80050	5 Gallon Pail	1	0 82353-80050 6	44 Lb.		12	15	0.98

**Super Lube® Grommet Lube**

81050	5 Gallon Pail	1	0 82353-81050 5	38 Lb.		12	15	0.98
81055	55 Gallon Drum	1	0 82353-81055 0	432 Lb.		24	35	9.16

**Bicycle Lubricants**

**Super Lube® Cycle Lube**

33006	6 oz. Cycle Lube with Syncolon® (PTFE)	12	0 82353-33006 5	7 Lb.	6.75	9	7.25	0.25
-------	--	----	-----------------	-------	------	---	------	------

**Super Lube® Wet Lube Bike Lubricant**

55204	4 oz Bottle	6	0 82353-55204 7	2 Lb.	5.5	4	7.25	0.09
-------	-------------	---	-----------------	-------	-----	---	------	------

**Super Lube® Dri Lube Bike Lubricant with Syncolon® (PTFE)**

55904	4 oz Bottle	6	0 82353-55904 6	2 Lb.	5.5	4	7.25	0.09
-------	-------------	---	-----------------	-------	-----	---	------	------



# SYNCO CHEMICAL CORPORATION

## PRODUCT LIST



Part #	Item Description	Pack Size	UPC Number	Approx. Case Weight	CASE DIMENSIONS IN INCHES/VOLUME IN CUBIC FEET			
					Length	Width	Height	Volume

### Cleaner/Degreaser - Food Grade - NSF Rated A1

#### Super Lube® Super Kleen

10004	4 oz. Mist Spray Bottle	6	0 82353-10004 0	2 Lb.	5.5	4	7.25	0.09
10032	1 Quart Trigger Sprayer	12	0 82353-10032 3	30 Lb.	13	11	10.5	0.87
10001	1 Gallon Bottle	4	0 82353-10001 9	32 Lb.	12.5	13	13	1.22
10005	5 Gallon Pail	1	0 82353-10005 7	47 Lb.		12	15	0.98
10060	55 Gallon Drum	1	0 82353-10060 6	481 Lb.		24	35	9.16

### DISPLAYS AND ACCESSORIES

#### Super Lube® Displays

11367	Counter Display - Cartridges (12 Pcs.)	1	0 82353-11367 5	13 Lb.	9.5	8	10.5	0.46
11362	Counter Display (36 Pcs.)	1	0 82353-11362 0	27 Lb.	19	19.75	14	3.04
11365	Combo Display (60 Pcs.)	1	0 82353-11365 1	46 Lb.	13	18.875	18	2.56
11520	Sportsman's Kit	12	0 82353-11520 4	2 Lb.	5.94	4.94	7.5	0.13
21013	1/2 oz. Tube Counter Box (40 Pcs.)	1	0 82353-21013 8	2 Lb.	7.25	5.75	2.5	0.06
21015	1/2 oz. Tube Clip Strip (12 Pcs.)	1	0 82353-21015 2	2 Lb.	30.5	4.25	3.25	0.24
51013	7 ml. Oiler Counter Box (48 Pcs.)	1	0 82353-51013 9	2 Lb.	7.25	5.75	2.5	0.06
51015	7 ml. Oiler Clip Strip (12 Pcs.)	1	0 82353-51015 3	2 Lb.	30.5	4.25	3.25	0.24

#### Super Lube® Accessories

11362E	Counter Display (Tray & Header Only)	1	0 82353-11996 7	2 Lb.	18.25	18.5	4	0.78
10201	Applicator Tip for 3 oz. Tube	60	0 82353-10201 3	1 Lb.	5.94	4.94	7.5	0.13

SYNCO CHEMICAL CORPORATION  
 SUPER LUBE®  
 P.O. Box 405  
 BOHEMIA, NY 11716-0405  
 (631) 567-5300 - Main office  
 (631) 567-5359 - Fax  
 (800) 253-5823  
 www.super-lube.com

**SYNCO CHEMICAL CORPORATION**  
*..... Super Lube®... "everywhere and no wear"!*



**Proudly Made in the U.S.A**

