acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Revision: April 1, 2024

1 Identification

[•] Product identifier

· Trade name: Super Lube® Air Tool Pneumatic Lubricant

- · Article number: No other identifiers
- · Recommended use and restriction on use
- · Recommended use: Lubricant
- · Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: Kano Laboratories LLC 24 DaVinci Dr., P.O. Box 405 Bohemia, NY 11716 Telephone: 631-567-5300 Email: info@super-lube.com

• Emergency telephone number: ChemTel

1-800-255-3924 (US/Canada), 1-813-248-0585 (International), 1-300-954-583 (Australia), 0-800-591-6042 (Brazil), 400-120-0751 (China), 000-800-100-4086 (India), 800-099-0731 (Mexico)

2 Hazard(s) identification

[•] Classification of the substance or mixture

The product is not classified as hazardous according to the Globally Harmonized System (GHS).

[·] Label elements

· GHS label elements Not regulated.

- · Hazard pictograms: Not regulated.
- · Signal word: Not regulated.
- · Hazard statements: Not regulated.
- · Precautionary statements: Not regulated.

· Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components: None in reportable quantities.

4 First-aid measures

[.] Description of first aid measures

• After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

In case of irregular breathing or respiratory arrest provide artificial respiration.

(Cont'd. on page 2)



Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Revision: April 1, 2024

After skin contact: Immediately wash with water and soap and rinse thoroughly. If skin irritation is experienced, consult a doctor. After eye contact: Protect unharmed eye. Remove contact leases if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. A person vomiting while lying on their back should be turned onto their side. Most important symptoms and effects, both acute and delayed: Headache Breathing difficulty Coughing Dizziness Gastric or intestinal disorders when ingested. Nay cause gastro-intestinal irritation if ingested. Nausea in case of ingestion. Danger of impaired breathing. May be harmful if swallowed. Indication of any immediate Medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder Carbon divide	Immediately wash with water and soap and rinse thoroughly. If skin irritation is experienced, consult a doctor. After eye contact: Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. A person vomiting while lying on their back should be turned onto their side. Most important symptoms and effects, both acute and delayed: Headache Breathing difficulty Coughing Dizziness Gastric or intestinal disorders when ingested. May cause gastro-intestinal irritation if ingested. Nausea in case of ingestion. Danger: Danger of impaired breathing. May be harmful if swallowed. Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. 5 Fire-fighting media Suitable extinguishing gents: Water fog / haze Foam Fire-extinguishing powder Carbon dioxide		(Cont'd. of page
If skin irritation is experienced, consult a doctor. After eye contact: Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. A person vomiting winle lying on their back should be turned onto their side. Most important symptoms and effects, both acute and delayed: Headache Breathing difficulty Coughing Dizziness Gastric or intestinal disorders when ingested. May cause gastro-intestinal irritation if ingested. Nausea in case of ingestion. Danger of impaired breathing. May be harmful if swallowed. I indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. 5 Fire-fighting media Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder	If skin irritation is experienced, consult a doctor. After eye contact: Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. A person vomiting wine lying on their back should be turned onto their side. Most important symptoms and effects, both acute and delayed: Headache Breathing difficulty Coughing Dizziness Gastric or intestinal disorders when ingested. May cause gastro-intestinal irritation if ingested. Nausea in case of ingestion. Danger: Danger of impaired breathing. May be harmful if swallowed. Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. 5 Fire-fighting media Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder Carbon dioxide	· After skin contact:	
 After eye contact: Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. A person vomiting while lying on their back should be turned onto their side. Most important symptoms and effects, both acute and delayed: Headache Breathing difficulty Coughing Dizziness Gastric or intestinal disorders when ingested. May cause gastro-intestinal irritation if ingested. Nausea in case of ingestion. Danger of impaired breathing. May be harmful if swallowed. Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. Fire-fighting media Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder 	 After eye contact: Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. A person vomiting while lying on their back should be turned onto their side. Most important symptoms and effects, both acute and delayed: Headache Breathing difficulty Coughing Dizziness Gastric or intestinal disorders when ingested. May cause gastro-intestinal irritation if ingested. May cause gastro-intestinal irritation if ingested. Nausea in case of ingestion. Danger of impaired breathing. May be harmful if swallowed. Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. 5 Fire-fighting media Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder Carbon dioxide 		
Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. A person vomiting while lying on their back should be turned onto their side. Most important symptoms and effects, both acute and delayed: Headache Breathing difficulty Coughing Dizziness Gastric or intestinal disorders when ingested. May cause gastro-intestinal irritation if ingested. Nausea in case of ingestion. Danger: Danger of impaired breathing. May be harmful if swallowed. Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. 5 Fire-fighting media Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder	Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. • After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. A person vomiting while lying on their back should be turned onto their side. • Most important symptoms and effects, both acute and delayed: Headache Breathing difficulty Coughing Dizziness Gastric or intestinal disorders when ingested. May cause gastro-intestinal irritation if ingested. Nausea in case of ingestion. • Danger of impaired breathing. May be harmful if swallowed. • Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. 5 Fire-fighting media • Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder Carbon dioxide		
Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. • After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. A person vomiting while lying on their back should be turned onto their side. • Most important symptoms and effects, both acute and delayed: Headache Breathing difficulty Coughing Dizziness Gastric or intestinal disorders when ingested. May cause gastro-intestinal irritation if ingested. Nausea in case of ingestion. • Danger: Danger of impaired breathing. May be harmful if swallowed. • Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. 5 Fire-fighting media • Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder	Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. A person vomiting while lying on their back should be turned onto their side. Most important symptoms and effects, both acute and delayed: Headache Breathing difficulty Coughing Dizziness Gastric or intestinal disorders when ingested. May cause gastro-intestinal irritation if ingested. Nausea in case of ingestion. Danger: Danger of impaired breathing. May be harmful if swallowed. Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. Extinguishing media Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder Carbon dioxide		
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. • After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. A person vomiting while lying on their back should be turned onto their side. • Most important symptoms and effects, both acute and delayed: Headache Breathing difficulty Coughing Dizziness Gastric or intestinal disorders when ingested. May cause gastro-intestinal irritation if ingested. May cause gastro-intestinal irritation if ingested. Nausea in case of ingestion. • Danger: Danger of impaired breathing. May be harmful if swallowed. • Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. • Extinguishing media • Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder	Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. A person vomiting while lying on their back should be turned onto their side. Most important symptoms and effects, both acute and delayed: Headache Breathing difficulty Coughing Dizziness Gastric or intestinal disorders when ingested. May cause gastro-intestinal irritation if ingested. May cause gastro-intestinal irritation if ingested. Nausea in case of ingestion. Danger: Danger of impaired breathing. May be harmful if swallowed. Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. Fire-fighting media Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder Carbon dioxide		
After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. A person vomiting while lying on their back should be turned onto their side. Most important symptoms and effects, both acute and delayed: Headache Breathing difficulty Coughing Dizziness Gastric or intestinal disorders when ingested. May cause gastro-intestinal irritation if ingested. Nausea in case of ingestion. Danger: Danger of impaired breathing. May be harmful if swallowed. Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. Fire-fighting measures Extinguishing media Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder	After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. A person vomiting while lying on their back should be turned onto their side. Most important symptoms and effects, both acute and delayed: Headache Breathing difficulty Coughing Dizziness Gastric or intestinal disorders when ingested. May cause gastro-intestinal irritation if ingested. Nausea in case of ingestion. Danger: Danger: Danger of impaired breathing. May be harmful if swallowed. Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. Fire-fighting media Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder Carbon dioxide		
Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. A person vomiting while lying on their back should be turned onto their side. Most important symptoms and effects, both acute and delayed: Headache Breathing difficulty Coughing Dizziness Gastric or intestinal disorders when ingested. May cause gastro-intestinal irritation if ingested. Nausea in case of ingestion. Danger: Danger of impaired breathing. May be harmful if swallowed. Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. Fire-fighting media Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder	Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. A person vomiting while lying on their back should be turned onto their side. Most important symptoms and effects, both acute and delayed: Headache Breathing difficulty Coughing Dizziness Gastric or intestinal disorders when ingested. May cause gastro-intestinal irritation if ingested. May cause gastro-intestinal irritation if ingested. Nausea in case of ingestion. Danger of impaired breathing. May be harmful if swallowed. Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. Fire-fighting media Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder Carbon dioxide		, consult a doctor.
Do not induce vomiting; immediately call for medical help. A person vomiting while lying on their back should be turned onto their side. Most important symptoms and effects, both acute and delayed: Headache Breathing difficulty Coughing Dizziness Gastric or intestinal disorders when ingested. May cause gastro-intestinal irritation if ingested. Nausea in case of ingestion. Danger: Danger of impaired breathing. May be harmful if swallowed. Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. 5 Fire-fighting measures Extinguishing media Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder	Do not induce vomiting; immediately call for medical help. A person vomiting while lying on their back should be turned onto their side. Most important symptoms and effects, both acute and delayed: Headache Breathing difficulty Coughing Dizziness Gastric or intestinal disorders when ingested. May cause gastro-intestinal irritation if ingested. Nausea in case of ingestion. Danger: Danger of impaired breathing. May be harmful if swallowed. Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. 5 Fire-fighting measures Extinguishing media Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder Carbon dioxide		
A person vomiting while lying on their back should be turned onto their side. Most important symptoms and effects, both acute and delayed: Headache Breathing difficulty Coughing Dizziness Gastric or intestinal disorders when ingested. May cause gastro-intestinal irritation if ingested. Nausea in case of ingestion. Danger: Danger of impaired breathing. May be harmful if swallowed. Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. Fire-fighting media Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder	A person vomiting while lying on their back should be turned onto their side. Most important symptoms and effects, both acute and delayed: Headache Breathing difficulty Coughing Dizziness Gastric or intestinal disorders when ingested. May cause gastro-intestinal irritation if ingested. Nausea in case of ingestion. Danger: Danger of impaired breathing. May be harmful if swallowed. Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. 5 Fire-fighting measures Extinguishing media Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder Carbon dioxide		
 Most important symptoms and effects, both acute and delayed: Headache Breathing difficulty Coughing Dizziness Gastric or intestinal disorders when ingested. May cause gastro-intestinal irritation if ingested. Nausea in case of ingestion. Danger: Danger of impaired breathing. May be harmful if swallowed. Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. Fire-fighting media Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder 	 Most important symptoms and effects, both acute and delayed: Headache Breathing difficulty Coughing Dizziness Gastric or intestinal disorders when ingested. May cause gastro-intestinal irritation if ingested. Nausea in case of ingestion. Danger: Danger of impaired breathing. May be harmful if swallowed. Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. Fire-fighting measures Extinguishing media Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder Carbon dioxide 		
Headache Breathing difficulty Coughing Dizziness Gastric or intestinal disorders when ingested. May cause gastro-intestinal irritation if ingested. Nausea in case of ingestion. Danger: Danger of impaired breathing. May be harmful if swallowed. Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. 5 Fire-fighting measures Extinguishing media Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder	Headache Breathing difficulty Coughing Dizziness Gastric or intestinal disorders when ingested. May cause gastro-intestinal irritation if ingested. Nausea in case of ingestion. Danger: Danger of impaired breathing. May be harmful if swallowed. Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. Fire-fighting measures Extinguishing media Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder Carbon dioxide		
Breathing difficulty Coughing Dizziness Gastric or intestinal disorders when ingested. May cause gastro-intestinal irritation if ingested. Nausea in case of ingestion. • Danger: Danger of impaired breathing. May be harmful if swallowed. • Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. 5 Fire-fighting measures • Extinguishing media • Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder	Breathing difficulty Coughing Dizziness Gastric or intestinal disorders when ingested. May cause gastro-intestinal irritation if ingested. Nausea in case of ingestion. • Danger: Danger of impaired breathing. May be harmful if swallowed. • Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. • Fire-fighting measures • Extinguishing media • Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder Carbon dioxide		
Coughing Dizziness Gastric or intestinal disorders when ingested. May cause gastro-intestinal irritation if ingested. Nausea in case of ingestion. Danger: Danger of impaired breathing. May be harmful if swallowed. Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. 5 Fire-fighting measures Extinguishing media Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder	Coughing Dizziness Gastric or intestinal disorders when ingested. May cause gastro-intestinal irritation if ingested. Nausea in case of ingestion. Danger: Danger of impaired breathing. May be harmful if swallowed. Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. Fire-fighting measures Extinguishing media Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder Carbon dioxide		
Dizziness Gastric or intestinal disorders when ingested. May cause gastro-intestinal irritation if ingested. Nausea in case of ingestion. • Danger: Danger of impaired breathing. May be harmful if swallowed. • Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. • Frie-fighting measures • Extinguishing media • Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder	Dizziness Gastric or intestinal disorders when ingested. May cause gastro-intestinal irritation if ingested. Nausea in case of ingestion. • Danger: Danger of impaired breathing. May be harmful if swallowed. • Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. • Fire-fighting measures • Extinguishing media • Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder Carbon dioxide		
Gastric or intestinal disorders when ingested. May cause gastro-intestinal irritation if ingested. Nausea in case of ingestion. • Danger: Danger of impaired breathing. May be harmful if swallowed. • Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. • Extinguishing media • Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder	Gastric or intestinal disorders when ingested. May cause gastro-intestinal irritation if ingested. Nausea in case of ingestion. Danger: Danger of impaired breathing. May be harmful if swallowed. Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. Fire-fighting measures Extinguishing media Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder Carbon dioxide		
May cause gastro-intestinal irritation if ingested. Nausea in case of ingestion. • Danger: Danger of impaired breathing. May be harmful if swallowed. • Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. • Fire-fighting measures • Extinguishing media • Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder	May cause gastro-intestinal irritation if ingested. Nausea in case of ingestion. • Danger: Danger of impaired breathing. May be harmful if swallowed. • Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. • Extinguishing media • Extinguishing media • Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder Carbon dioxide		
Nausea in case of ingestion. • Danger: Danger of impaired breathing. May be harmful if swallowed. • Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. • Fire-fighting measures • Extinguishing media • Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder	Nausea in case of ingestion. • Danger: Danger of impaired breathing. May be harmful if swallowed. • Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. • Fire-fighting measures • Extinguishing media • Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder Carbon dioxide		
 Danger: Danger of impaired breathing. May be harmful if swallowed. Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. Fire-fighting measures Extinguishing media Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder 	 Danger: Danger of impaired breathing. May be harmful if swallowed. Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. Fire-fighting measures Extinguishing media Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder Carbon dioxide 		
Danger of impaired breathing. May be harmful if swallowed. Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. Fire-fighting measures Extinguishing media Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder	Danger of impaired breathing. May be harmful if swallowed. Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. Fire-fighting measures Extinguishing media Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder Carbon dioxide		
May be harmful if swallowed. Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. 5 Fire-fighting measures Extinguishing media Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder	May be harmful if swallowed. Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. Fire-fighting measures Extinguishing media Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder Carbon dioxide		
 Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. 5 Fire-fighting measures • Extinguishing media • Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder 	 Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. 5 Fire-fighting measures • Extinguishing media • Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder Carbon dioxide 		
Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. 5 Fire-fighting measures • Extinguishing media • Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder	Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. 5 Fire-fighting measures 5 Fire-fighting media 5 Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder Carbon dioxide		۶d.
If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. 5 Fire-fighting measures • Extinguishing media • Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder	If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. 5 Fire-fighting measures 5 Extinguishing media • Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder Carbon dioxide		
Later observation for pneumonia and pulmonary edema. 5 Fire-fighting measures • Extinguishing media • Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder	Later observation for pneumonia and pulmonary edema. 5 Fire-fighting measures • Extinguishing media • Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder Carbon dioxide		
5 Fire-fighting measures • Extinguishing media • Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder	5 Fire-fighting measures • Extinguishing media • Suitable extinguishing agents: Water fog / haze Foam Fire-extinguishing powder Carbon dioxide		
Water fog / haze Foam Fire-extinguishing powder	Water fog / haze Foam Fire-extinguishing powder Carbon dioxide	· Extinguishing media	
Foam Fire-extinguishing powder	Foam Fire-extinguishing powder Carbon dioxide		
Fire-extinguishing powder	Fire-extinguishing powder Carbon dioxide	•	
	Carbon dioxide		
 For safety reasons unsuitable extinguishing agents: Water stream. Special hazards arising from the substance or mixture 			

Formation of toxic gases is possible during heating or in case of fire.

Advice for firefighters

• Protective equipment: Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information: Cool endangered containers with water fog.

(Cont'd. on page 3)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Revision: April 1, 2024

Trade name: Super Lube® Air Tool Pneumatic Lubricant

(Cont'd. of page 2)

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

Particular danger of slipping on leaked/spilled product.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

• Environmental precautions

Do not allow to enter sewers/ surface or ground water.

Prevent from spreading (e.g. by damming-in or oil barriers).

Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Remove from the water surface (e.g. skim or suck off).

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

[·] Handling

Precautions for safe handling:

Prevent formation of aerosols.

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

Open and handle receptacle with care.

Keep out of reach of children.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage

· Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame. Store in cool, dry conditions in well sealed receptacles.

Information about storage in one common storage facility: Store away from oxidizing agents.

· Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

[·] Control parameters


· Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Cont'd. on page 4)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Revision: April 1, 2024



[·] Information on basic physical and chemical properties · Appearance:			
Form:	Liquid		
Color:	Colorless		
Odor:	Mild		
Odor threshold:	Not determined.		
pH-value:	Not determined.		
Melting point/Melting range:	Not determined.		
Boiling point/Boiling range:	Not determined.		
Flash point:	220 °C (428 °F)		
Flammability (solid, gaseous):	Not applicable.		

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Revision: April 1, 2024

		(Cont'd. of pa
Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Not determined.	
Vapor pressure:	Not determined.	
Density:		
Relative density:	0.87	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wa	ater): Not determined.	
Viscosity		
Dynamic:	88 cP	
Kinematic:	95 - 110 cSt	
Other information	No relevant information available.	

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability:
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- Possibility of hazardous reactions
- Reacts with oxidizing agents.
- Toxic fumes may be released if heated above the decomposition point.
- · Conditions to avoid Store away from oxidizing agents.
- · Incompatible materials Oxidizing agents
- [•] Hazardous decomposition products
- Possible in traces:
- Carbon monoxide and carbon dioxide
- Hydrogen fluoride
- Fluorocarbons

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Revision: April 1, 2024

Trade name: Super Lube® Air Tool Pneumatic Lubricant

(Cont'd. of page 5)

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification: None.

· Primary irritant effect:

• On the skin: Based on available data, the classification criteria are not met.

· On the eye: Based on available data, the classification criteria are not met.

• Sensitization: Based on available data, the classification criteria are not met.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

• NTP (National Toxicology Program):

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

• Probable route(s) of exposure:

Eye contact.

Skin contact.

Ingestion.

• Germ cell mutagenicity: Based on available data, the classification criteria are not met.

· Carcinogenicity: Based on available data, the classification criteria are not met.

• **Reproductive toxicity:** Based on available data, the classification criteria are not met.

• **STOT-single exposure:** Based on available data, the classification criteria are not met.

· STOT-repeated exposure: Based on available data, the classification criteria are not met.

• Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

· Toxicity

· Aquatic toxicity No relevant information available.

· Persistence and degradability No relevant information available.

· Bioaccumulative potential: No relevant information available.

• **Mobility in soil:** No relevant information available.

Additional ecological information

· General notes: Avoid release to the environment.

[•] Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

• Other adverse effects No relevant information available.

(Cont'd. on page 7)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Revision: April 1, 2024

Trade name: Super Lube® Air Tool Pneumatic Lubricant

(Cont'd. of page 6)

13 Disposal considerations

[·] Waste treatment methods

· Recommendation:

Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

[·] Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT, IATA, IMDG, TDG	Not regulated.
UN proper shipping name	
DOT, IATA, IMDG, TDG	Not regulated.
Transport hazard class(es)	
DOT, IATA, IMDG, TDG	
Class	Not regulated.
Packing group	
DOT, IATA, IMDG, TDG	Not regulated.
Environmental hazards	
Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.

15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture
 United States (USA)

SARA

· Section 302 (extremely hazardous substances):

None of the ingredients are listed.

• Section 355 (extremely hazardous substances):

None of the ingredients are listed.

(Cont'd. on page 8)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Revision: April 1, 2024

	(Cont'd. of pag
Section 313 (Specific toxic chemical listings):	
None of the ingredients are listed.	
TSCA (Toxic Substances Control Act)	
All ingredients are listed.	
Proposition 65 (California)	
Chemicals known to cause cancer:	
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency):	
None of the ingredients are listed.	
IARC (International Agency for Research on Cancer):	
None of the ingredients are listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health):	
None of the ingredients are listed.	
Canadian Domestic Substances List (DSL):	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision July 17, 2017 / -

· Abbreviations and acronyms:

TDG: Transportation of Dangerous Goods Regulations IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxique vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety & Health Administration

· Sources

Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) (Cont'd. on page 9)

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Revision: April 1, 2024

Trade name: Super Lube® Air Tool Pneumatic Lubricant

(Cont'd. of page 8)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers

SDS Prepared by: Environmental Protection Department