acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Page: 1/9 Revision: April 1, 2024

# 1 Identification Product identifier · Trade name: Super Lube® Metal Protectant and Corrosion Inhibitor · Other means of identification: No other identifiers · Recommended use and restriction on use · Recommended use: Penetrating oil Lubricant · Restrictions on use: No relevant information available. <sup>•</sup> Details of the supplier of the Safety Data Sheet · Manufacturer/Supplier: Kano Laboratories LLC 24 DaVinci Dr., P.O. Box 405 Bohemia, NY 11716 Telephone: 631-567-5300 Email: info@super-lube.com · Emergency telephone number: ChemTel 1-800-255-3924 (US/Canada), 1-813-248-0585 (International), 1-300-954-583 (Australia), 0-800-591-6042 (Brazil), 400-120-0751 (China), 000-800-100-4086 (India), 800-099-0731 (Mexico) 2 Hazard(s) identification · Classification of the substance or mixture Asp. Tox. 1 H304 May be fatal if swallowed and enters airways. <sup>•</sup> Label elements · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:



#### · Signal word: Danger

· Hazard statements:

H304 May be fatal if swallowed and enters airways.

· Precautionary statements:

P301+P310 If swallowed: Immediately call a poison center/doctor.

- P331 Do NOT induce vomiting.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

• Other hazards There are no other hazards not otherwise classified that have been identified.

#### **3** Composition/information on ingredients

(Cont'd. on page 2)

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 1, 2024

	(Cont'd. of page
	(Cont d. of page
Chemical characterization: Mixtures	
· Components:	
64742-47-8 Distillates (petroleum), hydrotreated light	Asp. Tox. 1, H304 >50
	Flam. Liq. 4, H227
Additional information:	
For the listed ingredient(s), the identity and/or exact percentage For the wording of the listed Hazard Statements, refer to section	
First-aid measures	
Description of first aid measures	
• After inhalation:	
Supply fresh air.	
Seek immediate medical advice.	
Provide oxygen treatment if affected person has difficulty brea	athing.
In case of unconsciousness place patient stably in side position	on for transportation.
After skin contact:	
Immediately wash with water and soap and rinse thoroughly.	
If skin irritation is experienced, consult a doctor.	
After eye contact:	
Remove contact lenses if worn.	
Rinse opened eye for several minutes under running water. If	symptoms persist consult a doctor
• After swallowing:	
Rinse out mouth and then drink plenty of water.	
Do not induce vomiting; immediately call for medical help.	
A person vomiting while lying on their back should be turned of	onto their side
· Most important symptoms and effects, both acute and de	
Headache	layeu.
Breathing difficulty	
Nausea	
Coughing	
Dizziness	
Disorientation	
· Danger:	
Danger of pulmonary edema.	
Danger of pneumonia.	
Danger of impaired breathing.	
Indication of any immediate medical attention and specia	I treatment needed:
If swallowed, gastric irrigation with added, activated carbon.	
If swallowed or in case of vomiting, danger of entering the lung	gs.
Medical supervision for at least 48 hours.	
If pagagany average rearization treatment	
If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema.	

# **5** Fire-fighting measures

# • Extinguishing media

(Cont'd. on page 3)

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 1, 2024

Trade name: Super Lube® Metal Protectant and Corrosion Inhibitor (Cont'd. of page 2) Suitable extinguishing agents: Water fog / haze Fire-extinguishing powder Carbon dioxide Foam · For safety reasons unsuitable extinguishing agents: Water spray · Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. Advice for firefighters · Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit. Additional information: Eliminate all ignition sources if safe to do so. 6 Accidental release measures Personal precautions, protective equipment and emergency procedures Use respiratory protective device against the effects of fumes/dust/aerosol. Remove persons from danger area. Particular danger of slipping on leaked/spilled product. Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Keep away from ignition sources.

#### **Environmental precautions**

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

#### Methods and material for containment and cleaning up

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles.

#### **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

#### <sup>·</sup> Handling

Precautions for safe handling:

Keep out of reach of children.

Keep away from heat and direct sunlight. Avoid splashes or spray in enclosed areas.

Prevent formation of aerosols.

Use only in well ventilated areas.

• Information about protection against explosions and fires: Protect from heat.

# <sup>•</sup> Conditions for safe storage, including any incompatibilities

• Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

(Cont'd. on page 4)

# Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 1, 2024

ade name: Sı	de name: Super Lube® Metal Protectant and Corrosion Inhibitor		
<ul> <li>Information a Store away fro Store away fro</li> </ul>	(Cont'd. of pa bout storage in one common storage facility: m oxidizing agents. m foodstuffs. I <b>use(s)</b> No relevant information available.		
BExposure	ontrols/personal protection		
Control par	imeters		
	with limit values that require monitoring at the workplace:		
	stillates (petroleum), hydrotreated light		
EL (Canada)	Long-term value: 200 mg/m³ Skin		
The usual pre Keep away fro Wash hands I Do not inhale Avoid close of Avoid contact Engineering Breathing eq Not required u Use suitable r Use suitable r	active and hygienic measures:         cautionary measures for handling chemicals should be followed.         m foodstuffs, beverages and feed.         efore breaks and at the end of work.         gases / fumes / aerosols.         long term contact with the skin.         with the eyes.         controls: No relevant information available.         aipment:         nder normal conditions of use.         espiratory protective device in case of insufficient ventilation.         espiratory protective device when aerosol or mist is formed.         wiratory protection may be advisable.		
Prote	ctive gloves		
	NBR res		
Safet	<i>r</i> glasses		
	on: Protective work clothing nd supervision of exposure into the environment formation available.		

# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 1, 2024

#### Trade name: Super Lube® Metal Protectant and Corrosion Inhibitor

(Cont'd. of page 4)

9 Physical and chemical properties				
Information on basic physical an	d chemical properties			
Appearance:				
Form:	Liquid			
Color:	Translucent			
· Odor:	Solvent-like			
· Odor threshold:	Not determined.			
· pH-value:	Not determined.			
• Melting point/Melting range:	Not determined.			
· Boiling point/Boiling range:	224 - 252 °C (435.2-485.6 °F)			
· Flash point:	>96 °C (>204.8 °F)			
· Flammability (solid, gaseous):	Not applicable.			
· Auto-ignition temperature:	Not determined.			
· Decomposition temperature:	Not determined.			
<ul> <li>Danger of explosion:</li> </ul>	Product does not present an explosion hazard.			
· Explosion limits				
Lower:	0.7 Vol %			
Upper:	5.0 Vol %			
<ul> <li>Oxidizing properties:</li> </ul>	Non-oxidizing.			
<sup>·</sup> Vapor pressure at 20 °C (68 °F):	< 0.5 mmHg			
· Density:				
Relative density:	<1			
Vapor density at 20 °C (68 °F):	> 1 g/cm³ (>8.35 lbs/gal)			
Evaporation rate at 20 °C (68 °F):	< 1 g/cm³ (<8.35 lbs/gal)			
<ul> <li>Solubility in / Miscibility with</li> </ul>				
Water:	Not miscible or difficult to mix.			
· Partition coefficient (n-octanol/water	): Not determined.			
· Viscosity				
Dynamic:	Not determined.			
Kinematic:	Not determined.			
• Other information	No relevant information available.			

## 10 Stability and reactivity

• **Reactivity:** No relevant information available.

· Chemical stability:

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- Possibility of hazardous reactions
- Reacts with strong acids.

Reacts with strong oxidizing agents.

(Cont'd. on page 6)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 1, 2024

#### Trade name: Super Lube® Metal Protectant and Corrosion Inhibitor

(Cont'd. of page 5)

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized. Used empty containers may contain product gases which form explosive mixtures with air. Toxic fumes may be released if heated above the decomposition point.

· Conditions to avoid Keep away from heat and direct sunlight.

· Incompatible materials Oxidizers

· Hazardous decomposition products

Carbon monoxide and carbon dioxide Hydrocarbons

#### 11 Toxicological information

Information on toxicological effects

• Acute toxicity: Based on available data, the classification criteria are not met.

#### · LD/LC50 values that are relevant for classification:

64742-47-8 Distillates (petroleum), hydrotreated light

Oral LD50 > 5000 mg/kg (rat)

#### Primary irritant effect:

· On the skin: Based on available data, the classification criteria are not met.

• On the eye: Based on available data, the classification criteria are not met.

• Sensitization: Based on available data, the classification criteria are not met.

#### · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

• NTP (National Toxicology Program):

None of the ingredients are listed.

#### · OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

· Germ cell mutagenicity: Based on available data, the classification criteria are not met.

· Carcinogenicity: Based on available data, the classification criteria are not met.

· Reproductive toxicity: Based on available data, the classification criteria are not met.

• STOT-single exposure: Based on available data, the classification criteria are not met.

• STOT-repeated exposure: Based on available data, the classification criteria are not met.

· Aspiration hazard: May be fatal if swallowed and enters airways.

#### **12 Ecological information**

<sup>·</sup> Toxicity

· Aquatic toxicity No relevant information available.

· Persistence and degradability No relevant information available.

· Bioaccumulative potential: No relevant information available.

· Mobility in soil: No relevant information available.

(Cont'd. on page 7)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 1, 2024

#### Trade name: Super Lube® Metal Protectant and Corrosion Inhibitor

(Cont'd. of page 6)

#### • Ecotoxical effects:

· Remark:

Due to mechanical actions of the product (e.g. agglutinations), damages may occur.

The product is oxygen-consuming. The declared action may be partly caused by lack of oxygen.

#### Additional ecological information

· General notes: Avoid release to the environment.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No relevant information available.

#### **13 Disposal considerations**

#### <sup>·</sup> Waste treatment methods

#### · Recommendation:

Contact waste processors for recycling information.

Product is recyclable as a waste oil. Deliver unused and/or contaminated product to waste oil collectors. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

#### <sup>·</sup> Uncleaned packagings

• **Recommendation:** Disposal must be made according to official regulations.

Transport information		
· UN-Number · DOT, ADR, IMDG, IATA	Not regulated.	
UN proper shipping name DOT, ADR, IMDG, IATA	Not regulated.	
Transport hazard class(es)		
· DOT, ADR, IMDG, IATA · Class	Not regulated.	
Packing group DOT, ADR, IMDG, IATA	Not regulated.	
Environmental hazards Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	x II of Not applicable.	

(Cont'd. on page 8)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 1, 2024

#### Trade name: Super Lube® Metal Protectant and Corrosion Inhibitor

(Cont'd. of page 7)

	fety, health and environmental regulations/legislation specific for the substance
	xture
	ited States (USA)
SA	ction 302 (extremely hazardous substances):
	ne of the ingredients are listed.
	ction 355 (extremely hazardous substances):
	ne of the ingredients are listed.
	ction 313 (Specific toxic chemical listings): ne of the ingredients are listed.
	5
	CA (Toxic Substances Control Act)
All	ingredients are listed.
Pro	pposition 65 (California)
Ch	emicals known to cause cancer:
No	ne of the ingredients are listed.
Ch	emicals known to cause developmental toxicity for females:
No	ne of the ingredients are listed.
Ch	emicals known to cause developmental toxicity for males:
No	ne of the ingredients are listed.
Ch	emicals known to cause developmental toxicity:
No	ne of the ingredients are listed.
EP	A (Environmental Protection Agency):
No	ne of the ingredients are listed.
IAF	C (International Agency for Research on Cancer):
No	ne of the ingredients are listed.
Ca	nadian Domestic Substances List (DSL) (Substances not listed.):
All	ingredients are listed.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxic
- vPvB: very Persistent and very Bioaccumulative

(Cont'd. on page 9)

Page: 9/9

# Safety Data Sheet

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 1, 2024

Trade name: Super Lube® Metal Protectant and Corrosion Inhibitor

(Cont'd. of page 8)
OSHA: Occupational Safety & Health Administration
Flam. Liq. 4: Flammable liquids – Category 4
Asp. Tox. 1: Aspiration hazard – Category 1
Sources
Website, European Chemicals Agency (echa.europa.eu)
Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/
overview/home.do)
Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)
Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6
Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.
Safety Data Sheets, Individual Manufacturers
SDS Prepared by:
SDS created by Environmental Protection Department