



Super Lube® Multi-Use Lightweight Oil (ISO 22, 32, 46 and 68)

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878
Issue date: 4/1/2024 Revision date: 9/11/2024 Supersedes version of: 4/1/2024 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : Super Lube® Multi-Use Lightweight Oil (ISO 22, 32, 46 and 68)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Use of the substance/mixture : Lubricant

Uses advised against

Restrictions on use : None known

1.3. Details of the supplier of the safety data sheet

Kano Laboratories, LLC
24 DaVinci Drive, P.O. Box 405
Bohemia, NY 11716, USA
T +1 (631) 567-5300
www.super-lube.com

1.4. Emergency telephone number

Emergency number : ChemTel 1-800 255-3924 (US/Canada), 1-813-248-0585 (International), 1-300-954-583 (Australia), 0-800-591-6042 (Brazil), 400-120-0751 (China), 000-800-188-4086 (India), 800-099-0731 (Mexico)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (inhalation:dust,mist) Category 4 H332
Hazardous to the aquatic environment – Chronic Hazard, Category 4 H413
Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) : Warning
Contains : 1-Decene, dimer hydrogenated
Hazard statements (CLP) : H332 - Harmful if inhaled.
H413 - May cause long lasting harmful effects to aquatic life.
Precautionary statements (CLP) : P261 - Avoid breathing mist.
P271 - Use only outdoors or in a well-ventilated area.
P273 - Avoid release to the environment.
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Super Lube® Multi-Use Lightweight Oil (ISO 22, 32, 46 and 68)

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

P312 - Call a POISON CENTER, doctor if you feel unwell.

P501 - Dispose of contents/container to to an approved waste disposal plant.

2.3. Other hazards

Other hazards which do not result in classification : None known.

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
White Mineral Oil (Petroleum)	CAS-No.: 8042-47-5 EC-No.: 232-455-8	40-70	Asp. Tox. 1, H304
1-Decene, dimer hydrogenated	CAS-No.: 151006-58-5 EC-No.: 417-050-8 EC Index-No.: 601-070-00-0	10-60	Acute Tox. 4 (Inhalation), H332 (ATE=1.5 mg/l/4h) Asp. Tox. 1, H304 Aquatic Chronic 4, H413
Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates	CAS-No.: 80939-62-4 EC-No.: 279-632-6	1-<2.5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 2, H411

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.
First-aid measures after skin contact	: Wash skin with plenty of water and soap. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting unless directed to do so by medical personnel. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	: Harmful if inhaled. Inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract.
Skin	: May cause slight irritation to the skin. Prolonged or repeated contact may cause skin to become dry.
Eyes	: May cause minor eye irritation.
Ingestion	: Ingestion may cause nausea, vomiting and diarrhea.
Chronic symptoms	: None known.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Super Lube® Multi-Use Lightweight Oil (ISO 22, 32, 46 and 68)

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Dry powder. Foam. Carbon dioxide. Use water spray or fog.
Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : This product is not classified as flammable or combustible. Could burn but does not ignite readily.
Hazardous decomposition products in case of fire : On combustion, forms: carbon oxides (CO and CO₂). Nitrogen oxides.

5.3. Advice for firefighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Caution : this product can cause the floor to be slippery.

For non-emergency personnel

- Emergency procedures : Keep unnecessary and unprotected personnel away from the spillage.

For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Keep container closed when not in use. Wash thoroughly after handling. Avoid contact with eyes, skin and clothing. Remove contaminated clothing immediately. Wash contaminated clothing before reuse. Avoid breathing mist.
Hygiene measures : Wash contaminated clothing before reuse. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed.
Incompatible materials : Strong oxidizers.
Heat and ignition sources : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

7.3. Specific end use(s)

Lubricant.

Super Lube® Multi-Use Lightweight Oil (ISO 22, 32, 46 and 68)

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits.

Personal protection equipment

Eye and face protection

Eye protection:

Avoid contact with eyes. If there is a risk of liquid being splashed : Chemical goggles

Skin protection

Skin and body protection:

None under normal conditions

Hand protection:

In case of repeated or prolonged contact wear gloves. Consult glove manufacturer's product information on material suitability and material thickness.

Respiratory protection

Respiratory protection:

Not required for normal conditions of use. In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Appearance	: Colourless. Liquid.
Odour	: Mild odor.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not flammable Not applicable
Explosive properties	: None.
Oxidising properties	: None.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 251 °C (483.8°F) oc
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not applicable
Viscosity, kinematic	: 22 – 68 mm ² /s @40°C (104°F)
Solubility	: Insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 0.82

Super Lube® Multi-Use Lightweight Oil (ISO 22, 32, 46 and 68)

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Based on available data, the classification criteria are not met
Acute toxicity (dermal) : Based on available data, the classification criteria are not met
Acute toxicity (inhalation) : Inhalation:dust,mist: Harmful if inhaled.

Super Lube® Multi-Use Lightweight Oil (ISO 22, 32, 46 and 68)	
ATE CLP (dust,mist)	2.83 mg/l/4h
White Mineral Oil (Petroleum) (8042-47-5)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	> 5 mg/l/4h No mortality
Amines, C11-14-branched alkyl, monoheptyl and diheptyl phosphates (80939-62-4)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
1-Decene, dimer hydrogenated (151006-58-5)	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 3000 mg/kg

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)
pH: Not applicable

Super Lube® Multi-Use Lightweight Oil (ISO 22, 32, 46 and 68)

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: Not applicable
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Based on available data, the classification criteria are not met
Carcinogenicity	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Based on available data, the classification criteria are not met

White Mineral Oil (Petroleum) (8042-47-5)

NOAEL (oral, rat, 90 days)	≥ 1200 mg/kg bodyweight
----------------------------	-------------------------

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates (80939-62-4)

LOAEL (oral, rat, 90 days)	10 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test), Guideline: other:
----------------------------	---

Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
-------------------	---

Super Lube® Multi-Use Lightweight Oil (ISO 22, 32, 46 and 68)

Viscosity, kinematic	22 – 68 mm ² /s @40°C (104°F)
----------------------	--

Hydrocarbon	Yes
-------------	-----

White Mineral Oil (Petroleum) (8042-47-5)

Viscosity, kinematic	> 3 mm ² /s
----------------------	------------------------

Hydrocarbon	Yes
-------------	-----

1-Decene, dimer hydrogenated (151006-58-5)

Hydrocarbon	Yes
-------------	-----

11.2. Information on other hazards

Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties	: None known
--	--------------

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified (Based on available data, the classification criteria are not met)
--	---

Hazardous to the aquatic environment, long-term (chronic)	: May cause long lasting harmful effects to aquatic life.
---	---

White Mineral Oil (Petroleum) (8042-47-5)

LC50 - Fish [1]	> 100 mg/l
-----------------	------------

EC50 - Crustacea [1]	> 100 mg/l
----------------------	------------

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates (80939-62-4)

LC50 - Fish [1]	5.5 mg/l
-----------------	----------

EC50 - Crustacea [1]	> 1 mg/l Test organisms (species): Daphnia magna
----------------------	--

EC50 72h - Algae [1]	> 10 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
----------------------	---

EC50 72h - Algae [2]	7.1 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
----------------------	--

Super Lube® Multi-Use Lightweight Oil (ISO 22, 32, 46 and 68)

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates (80939-62-4)	
LOEC (chronic)	> 10 mg/l Test organisms (species): Daphnia magna Duration: '22 d'
NOEC (chronic)	> 10 mg/l Test organisms (species): Daphnia magna Duration: '22 d'
1-Decene, dimer hydrogenated (151006-58-5)	
LC50 - Fish [1]	> 1000 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Other aquatic organisms [1]	230 mg/l Test organisms (species): other aquatic crustacea:
EC50 72h - Algae [1]	> 1000 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)

12.2. Persistence and degradability

Super Lube® Multi-Use Lightweight Oil (ISO 22, 32, 46 and 68)	
Persistence and degradability	No additional information available.
White Mineral Oil (Petroleum) (8042-47-5)	
Persistence and degradability	Inherently biodegradable.
Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates (80939-62-4)	
Persistence and degradability	Not readily biodegradable.
1-Decene, dimer hydrogenated (151006-58-5)	
Persistence and degradability	Not readily biodegradable.

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : None known.

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose in a safe manner in accordance with local/national regulations.
Additional information : Flammable vapours may accumulate in the container.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

Super Lube® Multi-Use Lightweight Oil (ISO 22, 32, 46 and 68)

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not regulated for transport				
14.2. UN proper shipping name				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Super Lube® Multi-Use Lightweight Oil (ISO 22, 32, 46 and 68)

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant

Super Lube® Multi-Use Lightweight Oil (ISO 22, 32, 46 and 68)

Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Abbreviations and acronyms:	
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disruptor

Full text of H- and EUH-statements:	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 4	Hazardous to the aquatic environment – Chronic Hazard, Category 4
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
Skin Irrit. 2	Skin corrosion/irritation, Category 2

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Acute Tox. 4 (Inhalation:dust,mist)	H332	Calculation method
Aquatic Chronic 4	H413	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.